

**Rough
Finishing**

Genuine

Liquid compound for barrel finishing LC-617

No Stains by drying

No stains

Excellent rust
inhibiting
performance

Reduction
of waste water
chemicals

Liquid compound for rough barrel finishing process

LC-617

No Stains Liquid compound for rough barrel finishing process **LC-617**


NOT applicable to PRTR

NOT containing substances listed in RoHS directive


NOT containing substances listed in ELV directive

Does not contain Nitrites nor Boron


Resolution of stain by drying!!



Excellent rust inhibiting performance without stain!



Reduction of waste water flocculant by max. 80%!



Specifications	LC-617
pH (1% solution)	10.2 *Representative value
BOD, COD (0.1% solution)	BOD:11mg/L, COD:3mg/L
Phosphorus, nitrogen (Undiluted solution)	Phosphorus: 0.1 wt%, nitrogen: 0.3 wt%
Loading amount (per 1 liter of water)	5~20ml
Package	18kg/can

*Please refer to SDS on storage precautions

Contact us for more product information and purchase

TIPTON Tipton Corp.

Head Office 3-19-21 Toyoda, Minami-Ku, Nagoya, Aichi Prefecture 457-8566 Japan
Tel: +81-52-692-6666 Fax: +81-52-692-9445

Headquarter-Sales 3-19-21 Toyoda, Minami-Ku, Nagoya, Aichi Prefecture 457-8566 Japan
Tel: +81-52-692-7175 Fax: +81-52-692-0249

Tobishima Factory 3-25-1 Odakara, Tobishima-Mura, Ama-Gun, Aichi Prefecture 490-1438 Japan
Tel: +81-567-56-7500 Fax: +81-567-56-7513

<https://www.tipton.co.jp/english/> E-mail overseas@tipton.co.jp