

**Rust  
Inhibitor**

Water-soluble temporary rust inhibiting agent LC-802

Eco-friendly

# Rust inhibitor for steel

Carbon steel (S45C)  
Carbon steel (SK5), etc.

NOT applicable  
to PRTR

NOT applicable  
to REACH

No residue  
after drying

Water-soluble temporary rust inhibiting agent

# LC-802



**For steel only**Water-soluble temporary rust inhibiting agent **LC-802**

NOT applicable to PRTR

NOT containing substances  
listed in RoHS directiveNOT containing substances  
listed in ELV directive

REACH SVHC free






Boron-free

Nitrite-free

**Compliant with all environmental laws and regulations,  
with the same rust prevention power as before**

	Other manufacturer's rust inhibitor	<b>LC-802</b>
PRTR Law	Applicable (DEA, EDTA salts, boron)	<b>Not applicable</b>
Substances Designated as Harmful (under the Water Pollution Prevention Act)	Contains (nitrite, boron)	<b>Not applicable</b>
REACH SVHC Substances	Contains (DEA, boron)	<b>Not applicable</b>

Anti-rust data (comparison of anti-rust liquid immersion and drying tests)

Test Piece	Carbon Steel (S45C)		Carbon Steel (SK5)	
Tested with	Other manufacturer	<b>LC-802</b>	Other manufacturer	<b>LC-802</b>
After immersion (40℃ 1 hour)	No rust	<b>No rust</b>	No rust	<b>No rust</b>
After drying (1 day after removal from immersion) If rust occurs	No rust No powdery residue	<b>No rust No powdery residue</b>	No rust No powdery residue	<b>No rust No powdery residue</b>
				

**Specifications****LC-802**

pH (2% solution)	10.1 *Representative value
BOD, COD (0.1% solution)	BOD:50mg/L, COD:43mg/L
Phosphorus, nitrogen (Undiluted solution)	Phosphorus: 0.3 wt%, nitrogen: 0.8 wt%
Loading amount (per 1 liter of water)	20~50ml
Package	18kg/bag in box

Contact us for more product information and purchase

**Tipton Corp.**

Head Office

3-19-21 Toyoda, Minami-Ku, Nagoya, Aichi Prefecture 457-8566 Japan  
Tel: +81-52-692-6666 Fax: +81-52-692-9445

Headquarter-Sales

3-19-21 Toyoda, Minami-Ku, Nagoya, Aichi Prefecture 457-8566 Japan  
Tel: +81-52-692-7175 Fax: +81-52-692-0249

Tobishima Factory

3-25-1 Odakara, Tobishima-Mura, Ama-Gun, Aichi Prefecture 490-1438 Japan  
Tel: +81-567-56-7500 Fax: +81-567-56-7513

Detroit Office

28317 Beck Road Suite E-14 Wixom, MI USA 48393  
Tel: +81-90-7698-8473

https://www.tipton.co.jp/ E-mail overseas@tipton.co.jp